

Version 2.3 Revision Date 2019-10-10

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product information

Product Name : Odorless Mineral Spirits

Material : 1124296, 1124323, 1111744, 1105038, 1105041, 1105040

Company : Chevron Phillips Chemical Company LP

Specialty Chemicals 10001 Six Pines Drive The Woodlands, TX 77380

Emergency telephone:

Health:

866.442.9628 (North America) 1.832.813.4984 (International)

Transport:

CHEMTREC 800.424.9300 or 703.527.3887(int'l)

Asia: CHEMWATCH (+612 9186 1132) China: 0532 8388 9090 EUROPE: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Mexico CHEMTREC 01-800-681-9531 (24 hours)

South America SOS-Cotec Inside Brazil: 0800.111.767 Outside Brazil: +55.19.3467.1600

Argentina: +(54)-1159839431

Responsible Department : Product Safety and Toxicology Group

E-mail address : SDS@CPChem.com Website : www.CPChem.com

SECTION 2: Hazards identification

Classification of the substance or mixture

This product has been classified in accordance with the hazard communication standard 29 CFR 1910.1200; the SDS and labels contain all the information as required by the standard.

Classification

: Flammable liquids, Category 3

Specific target organ toxicity - single exposure, Category 3,

Central nervous system Aspiration hazard, Category 1

Labeling

SDS Number:100000068415 1/14

Version 2.3 Revision Date 2019-10-10

Symbol(s) :







Signal Word : Danger

Hazard Statements : H226: Flammable liquid and vapor.

H304: May be fatal if swallowed and enters airways.

H336: May cause drowsiness or dizziness.

Precautionary Statements : Prevention:

P210 Keep away from heat/sparks/open flames/hot surfaces.

No smoking.

P240 Ground/bond container and receiving equipment.
P241 Use explosion-proof electrical/ ventilating/ lighting/

equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.

P264 Wash hands thoroughly after handling.

P280 Wear protective gloves/ eye protection/ face protection.

Response:

P301 + P310 IF SWALLOWED: Immediately call a POISON

CENTER/doctor.

P331 Do NOT induce vomiting.

P370 + P378 In case of fire: Use dry sand, dry chemical or

alcohol-resistant foam to extinguish.

Storage:

P403 + P233 Store in a well-ventilated place. Keep container

tightly closed.

P403 + P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

Carcinogenicity:

IARC No ingredient of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

NTP No ingredient of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

ACGIH No ingredient of this product present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential carcinogen

by ACGIH.

SECTION 3: Composition/information on ingredients

Synonyms : Isoparaffins

Aliphatic hydrocarbon

Isoalkanes

SDS Number:100000068415 2/14

Version 2.3 Revision Date 2019-10-10

Component	CAS-No.	Weight %
C9-C11 Isoalkanes	68551-16-6	100

SECTION 4: First aid measures

General advice : Move out of dangerous area. Show this material safety data

sheet to the doctor in attendance. Material may produce a serious, potentially fatal pneumonia if swallowed or vomited.

If inhaled : If unconscious, place in recovery position and seek medical

advice. If symptoms persist, call a physician.

In case of skin contact : If skin irritation persists, call a physician. If on skin, rinse well

with water. If on clothes, remove clothes.

In case of eye contact : Flush eyes with water as a precaution. Remove contact

lenses. Protect unharmed eye. Keep eye wide open while

rinsing. If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear. Do NOT induce vomiting. Never

give anything by mouth to an unconscious person. If

symptoms persist, call a physician. Take victim immediately to

hospital.

SECTION 5: Firefighting measures

Flash point : $48 \,^{\circ}\text{C} \, (118 \,^{\circ}\text{F})$

Method: Tag closed cup

Autoignition temperature : 336 °C (637 °F)

Suitable extinguishing

media

: Alcohol-resistant foam. Carbon dioxide (CO2). Dry chemical.

Unsuitable extinguishing

media

: High volume water jet.

Specific hazards during fire

fighting

: Do not allow run-off from fire fighting to enter drains or water

courses.

Special protective

equipment for fire-fighters

: Wear self-contained breathing apparatus for firefighting if

necessary.

Further information : Collect contaminated fire extinguishing water separately. This

must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. For safety reasons in case

of fire, cans should be stored separately in closed containments. Use a water spray to cool fully closed

containers.

Fire and explosion

protection

: Do not spray on an open flame or any other incandescent material. Take necessary action to avoid static electricity

discharge (which might cause ignition of organic vapors).

SDS Number:100000068415 3/14

Odorless Mineral Spirits

Version 2.3 Revision Date 2019-10-10

Keep away from open flames, hot surfaces and sources of

ignition.

Hazardous decomposition

products

Carbon Dioxide. Carbon oxides.

SECTION 6: Accidental release measures

Personal precautions : Use personal protective equipment. Ensure adequate

ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low

areas.

Environmental precautions : Prevent product from entering drains. Prevent further leakage

or spillage if safe to do so. If the product contaminates rivers

and lakes or drains inform respective authorities.

Methods for cleaning up : Contain spillage, and then collect with non-combustible

absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to

local / national regulations (see section 13).

SECTION 7: Handling and storage

Handling

Advice on safe handling : Avoid formation of aerosol. Do not breathe vapors/dust. Avoid

contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Take precautionary measures against static discharges. Provide sufficient air exchange and/or exhaust in work rooms. Open drum carefully as content may be under pressure. Dispose of rinse water in accordance with

local and national regulations.

Advice on protection against fire and explosion

Do not spray on an open flame or any other incandescent material. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Keep away from open flames, hot surfaces and sources of

ignition.

Storage

Requirements for storage areas and containers

No smoking. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Observe label precautions. Electrical installations / working materials must comply with the technological safety standards.

SECTION 8: Exposure controls/personal protection

Chevron Phillips Chemical Company LP

Components	Basis	Value	Control parameters	Note
C9-C11 Isoalkanes	Manufacturer	TWA	1,200 mg/m3	RCP,

SDS Number:100000068415 4/14

Version 2.3 Revision Date 2019-10-10

Engineering measures

Consider the potential hazards of this material (see Section 2), applicable exposure limits, job activities, and other substances in the work place when designing engineering controls and selecting personal protective equipment. If engineering controls or work practices are not adequate to prevent exposure to harmful levels of this material, the personal protective equipment listed below is recommended. The user should read and understand all instructions and limitations supplied with the equipment since protection is usually provided for a limited time or under certain circumstances.

Personal protective equipment

Respiratory protection : Wear a supplied-air NIOSH approved respirator unless

ventilation or other engineering controls are adequate to maintain minimal oxygen content of 19.5% by volume under normal atmospheric pressure. Wear a NIOSH approved respirator that provides protection when working with this material if exposure to harmful levels of airborne material may occur, such as:. Air-Purifying Respirator for Organic Vapors, Dusts and Mists. Use a positive pressure, air-supplying respirator if there is potential for uncontrolled release, exposure levels are not known, or other circumstances where air-purifying respirators may not provide adequate protection.

Hand protection : The suitability for a specific workplace should be discussed

with the producers of the protective gloves. For prolonged or repeated contact use protective gloves. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Eye protection : Eye wash bottle with pure water. Tightly fitting safety goggles.

Skin and body protection : Impervious clothing. Wear as appropriate:. Choose body

protection according to the amount and concentration of the dangerous substance at the work place. Workers should wear

antistatic footwear.

Hygiene measures : When using do not eat or drink. When using do not smoke.

Wash hands before breaks and at the end of workday.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Appearance

Form : Liquid Physical state : Liquid

Color : Colorless at room temperature

Odor : Mild, Hydrocarbon

Safety data

Flash point : $48 \, ^{\circ}\text{C} \, (118 \, ^{\circ}\text{F})$

Method: Tag closed cup

Lower explosion limit : No data available

SDS Number:100000068415 5/14

Odorless Mineral Spirits

Version 2.3 Revision Date 2019-10-10

Upper explosion limit : No data available

Oxidizing properties : no

Autoignition temperature : 336 °C (637 °F)

Molecular weight : Not applicable

pH : No data available

Freezing point : No data available

Pour point No data available

Boiling point/boiling range : 178 - 188 °C (352 - 370 °F)

Vapor pressure : 1.00 MMHG

at 20 °C (68 °F)

Relative density : 0.76

at 15.6 °C (60.1 °F)

Density : 756.1 g/l

Water solubility : Negligible

Partition coefficient: n-

Viscosity, kinematic

octanol/water

: No data available

at 38 °C (100 °F)

: 1.12 cSt

Relative vapor density : 3

(Air = 1.0)

Evaporation rate : 1

Percent volatile : > 99 %

SECTION 10: Stability and reactivity

Chemical stability : This material is considered stable under normal ambient and

anticipated storage and handling conditions of temperature

and pressure.

Possibility of hazardous reactions

Hazardous reactions : Hazardous polymerization does not

occur.

Hazardous reactions: Vapors may form explosive mixture with

aır.

SDS Number:100000068415 6/14

Odorless Mineral Spirits

Version 2.3 Revision Date 2019-10-10

Conditions to avoid : Heat, sparks, fire, and oxidizing agents.

Materials to avoid : May react with oxygen and strong oxidizing agents, such as

chlorates, nitrates, peroxides, etc.

Hazardous decomposition

products

: Carbon Dioxide Carbon oxides

Other data : No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

Acute oral toxicity

C9-C11 Isoalkanes : LD50: > 5,000 mg/kg

Species: Rat

Sex: male and female

Method: OECD Test Guideline 401

Information given is based on data obtained from similar

substances.

Acute inhalation toxicity

C9-C11 Isoalkanes : LC50: > 4.9 mg/l

Exposure time: 4 h Species: Rat

Sex: male and female Test atmosphere: vapor

Method: OECD Test Guideline 403

An LC50/inhalation/4h/rat could not be determined because no mortality of rats was observed at the maximum achievable

concentration.

Information given is based on data obtained from similar

substances.

Acute dermal toxicity

C9-C11 Isoalkanes : LD50: > 5,000 mg/kg

Species: Rabbit Sex: male and female

Method: OECD Test Guideline 402

Information given is based on data obtained from similar

substances.

Odorless Mineral Spirits

Skin irritation

: May cause skin irritation and/or dermatitis.

Odorless Mineral Spirits

Eye irritation

: No eye irritation.

Vapors may cause irritation to the eyes, respiratory system

and the skin.

Sensitization

SDS Number:100000068415 7/14

Version 2.3 Revision Date 2019-10-10

C9-C11 Isoalkanes : Not a skin sensitizer.

Information given is based on data obtained from similar

substances.

Repeated dose toxicity

C9-C11 Isoalkanes : Species: Rat, male and female

> Sex: male and female Application Route: Inhalation Dose: 0, 2600, 5200, 10400 mg/3

Exposure time: 13 wk

Number of exposures: 6 h/d, 5 d/wk

NOEL: > 10,400 mg/m3

Method: OECD Test Guideline 413

No significant adverse effects were reported

Information given is based on data obtained from similar

substances.

Genotoxicity in vitro

C9-C11 Isoalkanes Test Type: E. Coli bacterial reverse mutation assay

Result: negative

Test Type: Ames test Result: negative

Test Type: Bacterial DNA repair test

Result: negative

Genotoxicity in vivo

C9-C11 Isoalkanes : Test Type: Dominant lethal assay

Result: negative

Test Type: Mouse micronucleus assay

Result: negative

Developmental Toxicity

C9-C11 Isoalkanes Species: Rat

Application Route: Inhalation Dose: 0, 291, 817 ppm Number of exposures: 6 h/d Test period: GD 6-15

NOAEL Teratogenicity: > 817 ppm NOAEL Maternal: > 817 ppm

Odorless Mineral Spirits Aspiration toxicity

: May be fatal if swallowed and enters airways.

Substances known to cause human aspiration toxicity hazards or to be regarded as if they cause human aspiration toxicity

hazard.

Odorless Mineral Spirits

Further information : Solvents may degrease the skin.

SDS Number:100000068415 8/14

Version 2.3 Revision Date 2019-10-10

SECTION 12: Ecological information

Toxicity to fish

C9-C11 Isoalkanes : LL50: 3.6 mg/l

Exposure time: 96 h

Species: Oncorhynchus mykiss (rainbow trout) semi-static test Method: OECD Test Guideline 203 Information given is based on data obtained from similar

substances.

Toxicity to daphnia and other aquatic invertebrates

C9-C11 Isoalkanes : EL50: 22 - 46 mg/l

Exposure time: 48 h

Species: Daphnia magna (Water flea) static test Method: OECD Test Guideline 202

Information given is based on data obtained from similar

substances.

Toxicity to algae

C9-C11 Isoalkanes : ErL50: > 1,000 mg/l

Exposure time: 72 h

Species: Pseudokirchneriella subcapitata (algae) static test Method: OECD Test Guideline 201

Information given is based on data obtained from similar

substances.

Toxicity to fish (Chronic toxicity)

C9-C11 Isoalkanes : NOELR: 0.132 mg/l

Species: Oncorhynchus mykiss (rainbow trout)

Method: QSAR modeled data

Biodegradability : Expected to be biodegradable

Elimination information (persistence and degradability)
Additional ecological : No data available

information

Ecotoxicology Assessment

Short-term (acute) aquatic hazard

C9-C11 Isoalkanes : Toxic to aquatic life.

Long-term (chronic) aquatic hazard

C9-C11 Isoalkanes : Toxic to aquatic life with long lasting effects.

SDS Number:100000068415 9/14

Odorless Mineral Spirits

Version 2.3 Revision Date 2019-10-10

SECTION 13: Disposal considerations

The information in this SDS pertains only to the product as shipped.

Use material for its intended purpose or recycle if possible. This material, if it must be discarded, may meet the criteria of a hazardous waste as defined by US EPA under RCRA (40 CFR 261) or other State and local regulations. Measurement of certain physical properties and analysis for regulated components may be necessary to make a correct determination. If this material is classified as a hazardous waste, federal law requires disposal at a licensed hazardous waste disposal facility.

Product : Do not dispose of waste into sewer. Do not contaminate

ponds, waterways or ditches with chemical or used container.

Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents. Dispose of as unused product.

Do not re-use empty containers. Do not burn, or use a cutting

torch on, the empty drum.

SECTION 14: Transport information

The shipping descriptions shown here are for bulk shipments only, and may not apply to shipments in non-bulk packages (see regulatory definition).

Consult the appropriate domestic or international mode-specific and quantity-specific Dangerous Goods Regulations for additional shipping description requirements (e.g., technical name or names, etc.) Therefore, the information shown here, may not always agree with the bill of lading shipping description for the material. Flashpoints for the material may vary slightly between the SDS and the bill of lading.

US DOT (UNITED STATES DEPARTMENT OF TRANSPORTATION)

UN3295, HYDROCARBONS, LIQUID, N.O.S., 3, III

IMO / IMDG (INTERNATIONAL MARITIME DANGEROUS GOODS)

UN3295, HYDROCARBONS, LIQUID, N.O.S., 3, III, (48 °C), MARINE POLLUTANT, (C9-C11 ISOALKANES)

IATA (INTERNATIONAL AIR TRANSPORT ASSOCIATION)

UN3295, HYDROCARBONS, LIQUID, N.O.S., 3, III

ADR (AGREEMENT ON DANGEROUS GOODS BY ROAD (EUROPE))

UN3295, HYDROCARBONS, LIQUID, N.O.S., 3, III, (D/E), ENVIRONMENTALLY HAZARDOUS, (C9-C11 ISOALKANES)

RID (REGULATIONS CONCERNING THE INTERNATIONAL TRANSPORT OF DANGEROUS GOODS (EUROPE))

UN3295, HYDROCARBONS, LIQUID, N.O.S., 3, III, ENVIRONMENTALLY HAZARDOUS, (C9-C11 ISOALKANES)

ADN (EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY INLAND WATERWAYS)

UN3295, HYDROCARBONS, LIQUID, N.O.S., 3, III, ÉNVIRONMENTALLY HAZARDOUS, (C9-C11 ISOALKANES)

SDS Number:100000068415 10/14

Odorless Mineral Spirits

Version 2.3 Revision Date 2019-10-10

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

SECTION 15: Regulatory information

National legislation

SARA 311/312 Hazards : Flammable (gases, aerosols, liquids, or solids)

Specific target organ toxicity (single or repeated exposure)

Aspiration hazard

CERCLA Reportable

Quantity

: This material does not contain any components with a CERCLA

RQ.

SARA 302 Reportable

Quantity

: This material does not contain any components with a SARA

302 RQ.

SARA 302 Threshold

Planning Quantity

: No chemicals in this material are subject to the reporting

requirements of SARA Title III, Section 302.

SARA 304 Reportable

Quantity

: This material does not contain any components with a section

304 EHS RQ.

SARA 313 Components : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

Ozone-Depletion

Potential

: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR

82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

SDS Number:100000068415 11/14

Version 2.3 Revision Date 2019-10-10

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

US State Regulations

Pennsylvania Right To Know

: No components are subject to the Pennsylvania Right to Know

Act.

New Jersey Right To Know

: No components are subject to the New Jersey Right to Know

Act.

California Prop. 65

Components

: This product does not contain any chemicals known to the State

of California to cause cancer, birth, or any other reproductive

defects.

Notification status

Europe REACH : Not in compliance with the inventory

Switzerland CH INV : On the inventory, or in compliance with the inventory

United States of America (USA) ... On or in compliance with the active portion of the

TSCA TSCA inventory

Canada DSL : All components of this product are on the Canadian

DSL

Australia AICS : On the inventory, or in compliance with the inventory

New Zealand NZIoC : This substance may be used as a component in a

product covered by a group standard but it is not approved for use as a chemical in its own right

Japan ENCS : On the inventory, or in compliance with the inventory

Korea KECI : A substance(s) in this product was not registered,

notified to be registered, or exempted from registration by CPChem according to K-REACH regulations. Importation or manufacture of this product is still permitted provided the Korean Importer of Record has

themselves notified the substance.

Philippines PICCS : On the inventory, or in compliance with the inventory China IECSC : On the inventory, or in compliance with the inventory Taiwan TCSI : On the inventory, or in compliance with the inventory


SDS Number:100000068415 12/14

Version 2.3 Revision Date 2019-10-10

SECTION 16: Other information

NFPA Classification : Health Hazard: 1

Fire Hazard: 2
Reactivity Hazard: 0



Further information

Legacy SDS Number : CPC00572

Significant changes since the last version are highlighted in the margin. This version replaces all previous versions.

The information in this SDS pertains only to the product as shipped.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Key or legend to abbreviations and acronyms used in the safety data sheet				
ACGIH	American Conference of Government Industrial Hygienists	LD50	Lethal Dose 50%	
AICS	Australia, Inventory of Chemical Substances	LOAEL	Lowest Observed Adverse Effect Level	
DSL	Canada, Domestic Substances List	NFPA	National Fire Protection Agency	
NDSL	Canada, Non-Domestic Substances List	NIOSH	National Institute for Occupational Safety & Health	
CNS	Central Nervous System	NTP	National Toxicology Program	
CAS	Chemical Abstract Service	NZIoC	New Zealand Inventory of Chemicals	
EC50	Effective Concentration	NOAEL	No Observable Adverse Effect Level	
EC50	Effective Concentration 50%	NOEC	No Observed Effect Concentration	
EGEST	EOSCA Generic Exposure Scenario Tool	OSHA	Occupational Safety & Health Administration	
EOSCA	European Oilfield Specialty Chemicals Association	PEL	Permissible Exposure Limit	
EINECS	European Inventory of Existing Chemical Substances	PICCS	Philippines Inventory of Commercial Chemical Substances	
MAK	Germany Maximum Concentration Values	PRNT	Presumed Not Toxic	
GHS	Globally Harmonized System	RCRA	Resource Conservation Recovery Act	
>=	Greater Than or Equal To	STEL	Short-term Exposure Limit	
IC50	Inhibition Concentration 50%	SARA	Superfund Amendments and Reauthorization Act.	
IARC	International Agency for Research on Cancer	TLV	Threshold Limit Value	
IECSC	Inventory of Existing Chemical Substances in China	TWA	Time Weighted Average	
ENCS	Japan, Inventory of Existing and	TSCA	Toxic Substance Control Act	

SDS Number:100000068415 13/14

Odorless Mineral Spirits

Version 2.3 Revision Date 2019-10-10

	New Chemical Substances		
KECI	Korea, Existing Chemical	UVCB	Unknown or Variable Composition,
	Inventory		Complex Reaction Products, and
			Biological Materials
<=	Less Than or Equal To	WHMIS	Workplace Hazardous Materials
			Information System
LC50	Lethal Concentration 50%		

SDS Number:100000068415 14/14